

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
H281A01	23	49	30
H281A03	24	47	30
H281A04	26	49	32
H281A05	26	49	32
H281A06	26	49	32
H281A07	26	49	32
H281A08	26	49	23
H281A09	23	45	22
H281A10	24	45	30
H281A11	26	49	32
H281A12	26	49	32
H281A13	24	45	22
H281A15	26	49	30
H281A16	28	60B	32
H281A17	30	64	36
H281A18	28	60	32
H281A19	28	60	32
H281A20	26	55	30
H281A21	26	49	32
H281A22	26	49	32
H281A23	28	60B	32
H281A24	26	55	32
H281A26	26	55	32
H281A27	28	64	32
H281A28			
H281A29	28	60	32
H281A30	26	49	32
	28	60	32

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
H281A31	26	49	32
H281A32	26	55	32
H281A33	28	60	34
H281A34	26	55	32
H281A35	26	49	32
H281A36	28	60	32
H281A37	28	60	32
H281A38	26	49	23
H281A44	26	49	32
H281A45	26	49	23
H281A46	30	64	36
H281A47	28	60	32
H281A48	26	55	32
H281A49	28	60	32
H281A57	23	49	23
H281A58	24	47	30
H281A59	28	60	34
H281A60	26	55	32

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
M281103	25	50	22
M281104	25	50	23
M281105	25	50	22
M281110	25	50	25
M281112	25	54	23C
M281113	25	54	22
M281115	25	54	23
M281116	25	54	22
M281117	25	54	23
M281118	25	50	23
M281119	25	50	23
M281120	25	50	30
M281121	25	54	23
M281122	25	54	23
M281123	25	54	22
M281150	28	56	25
M281151			
M281153	25	54	30
M281158	25	54	30
M281159	25	54	25
M281160	28	56	25

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
S281101	26	N/A	22
S281102	23	44	19
S281103	23	44	19
S281103	23	44	19
S281104	26	48	22
S281105	23	44	18
S281106	26	45	19
S281107	23	49	19
S281108	25	49	22
S281109	26	45	20
S281110	26	45	22
S281111	25	49	21
S281112	25	49	19
S281113	25	49	19
S281114	23	45	20
S281115	23	45	20
S281116	25	49	29
S281118	23	45	19
S281119	25	49	20
S281125	25	49	21

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
N281N01	21	48	19
N281N02	21	48	22
N281N03	24	52	22
N281N04	24	56	23
N281N05	24	56	23
N281N06	27	56	23
N281N07	25	52.3	22
N281N08	27	56	25
N281N09	25	52.3	23
N281N10	27	56B	22
N281N11	24	52	23
N281N12	24	52	25
N281N14	27	56	25
N281N15	25	52.2	25
N281N16	21	48	19
N281N17	21	48	22
N281N18	21	48	19
N281N19	27	56	22
N281N20	27	56	32
N281N21	27	56	25
N281N22	27	56	25
N281N23	25	55	23
N281N24	25	55	22
N281N25	27	56	23
N281N26	27	56	32
N281N27	19	48	23
N281N28	23	48	19
N281N29	22	48	23
N281N32	27	56B	32
N281N34	27	56	32
N281N35	26	50	27
N281N36	28	50	27
N281N40	27	50	27
N281N43	27	56B	32
N281N55	29	77	36

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
M281A02	24	52	22
M281A03	24	52	21
M281A04	26	56	21
M281A05	26	56	22
M281A06	24	52	21
M281A07	26	52	23
M281A08	26	52	25
M281A09	26	56	23
M281A10	26	56	30
M281A14	26	56	25
M281A15	26	56	25
M281A16	28	56	22
M281A17	24	52	19
M281A18	26	56	30
M281A19	28	56	23
M281A20	28	56	26
M281A21	24	52	20
M281A25	28	56	26
M281A26	26	56	30
M281A28	26	56	22
M281A29	28	56	23
M281A31	28	57	24
M281A32	28	56	30
M281A33	28	56	22

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
T281A00	30	57	24
T281A01	23	51	22
T281A02	23	51	22
T281A03	26	56	24
T281A04	26	56	23
T281A05	23	56	23
T281A06	26	56	23
T281A07	26	56	24
T281A08	23	56	21
T281A09	26	56	23
T281A10	26	56	25
T281A13	26	56	25
T281A14	26	56	25
T281A17	26	56	27
T281A18	26	56	27
T281A19	26	56	27
T281A20	26	56	27
T281A21	26	56	24
T281A22	26	56	24
T281A23	30	55	27
T281A24	30	60	27
T281A25	30	56	27
T281A26	26	56	26
T281A27	26	56	25
T281A28	26	56	24
T281A29	26	56	27
T281A30	30	57	24
T281A31	26	56	32
T281A33	26	60	27
T281A35	30	55	24

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
S281U01	30	52	22
S281U02	30	52	23
S281U03	30	58	22
S281U04	30	58	23
S281U05	30	58	25
S281U07	24	50	21
S281U08	27	56	30
S281U09	27	56	30
S281U10	24	50	22
S281U11	27	56	22
S281U12	27	56	30